

**RESOLUTION NO. 2024-38**

**RESOLUTION OF THE BORDENTOWN SEWERAGE AUTHORITY, IN THE COUNTY OF BURLINGTON, NEW JERSEY ENDORSING A UTILITY OWNER DESIGN AUTHORIZATION (CHECK LIST) PROVIDED TO THE AUTHORITY BY NEW JERSEY DEPARTMENT OF TRANSPORTATION (NJDOT) AND FURTHER AUTHORIZING THE AUTHORITY'S EXECUTIVE DIRECTOR TO SIGN THE CHECK LIST FOR THE PROJECT ROUTE 130, CR 545 (FARNSWORTH AVE.)**

**WHEREAS**, New Jersey Department of Transportation ("NJDOT") is intending to construct improvements to the intersection of Route 130 and Farnsworth Ave; and

**WHEREAS**, the NJDOT has identified specific assets of the Authority's collection system to be moved or modified as a result of the roadway project; and

**WHEREAS**, the Authority's Consulting Engineer has been involved in the design phase to protect those assets; and

**WHEREAS**, the NJDOT requires the Utility Owner Design Authorization (Check List) endorsement of the local utility for the work to be performed by the State's Contractor; and

**WHEREAS**, the Authority wishes through this resolution to memorialize its review and endorsement of the NJDOT Utility Owner Design Authorization (Check List) that will list the Authority as the Utility Owner and to further authorize the Authority's Executive Director to sign the check list.

**NOW, THEREFORE, BE IT RESOLVED BY THE BORDENTOWN SEWERAGE AUTHORITY, IN THE COUNTY OF BURLINGTON, NEW JERSEY, THAT:**

1. The NJDOT Utility Owner Design Authorization (Check List) shall be endorsed upon the recommendation of the Bordentown Sewerage Authority's consulting engineer for submittal to the New Jersey Department of Transportation.

2. The Authority hereby authorizes its Executive Director, Thomas Redwood to sign the Utility Owner Design Authorization (Check List) for the NJDOT project known as Route 130, CR545 (Farnsworth Ave) after the Bordentown Sewerage Authority's consulting engineer provides the recommendation for signature.

Adopted this 20th day of February, 2024

THE BORDENTOWN SEWERAGE AUTHORITY

By: \_\_\_\_\_

Chair *James E Lynch Jr.*

Attest:

*Joseph R. Malone, III*  
Assistant Secretary *Joseph R. Malone, III*

**NEW JERSEY DEPARTMENT OF TRANSPORTATION  
UTILITY OWNER DESIGN AUTHORIZATION (CHECK LIST)**

<b>PROJECT NAME: Route 130, CR 545 (Farnsworth Ave.)</b>	<b>MUNICIPALITY: Bordentown Township</b>	<b>MUNICIPALITY: Burlington County</b>
--	--	--

<b>UTILITY OWNER: Bordentown Sewerage Authority</b>		<b>AGREEMENT NO: UECA-6-Rte130Farnsworth-148030</b>	<b>UPC CODE: 148030</b>
<b>Item No.</b>	<b>Location:</b>	<b>Existing Facilities</b>	<b>Proposed Facilities Temporary &amp; Permanent</b>
1	Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt.</li> <li>Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.</li> </ul>
2	Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt.</li> <li>Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.</li> </ul>

**No Interruption of service (Seasonal):** N/A  
**Notice Time Needed (include time to obtain materials):** **Bordentown Sewerage Authority requires a 72 hour minimum notice for onsite inspection prior to the start of the work.**  
**General Notes:**

<b>DESIGNER</b>	<b>UTILITY OWNER</b>	<b>NJDOT</b>
I certify that this document depicts the In Kind replacement of the existing facilities and that all betterment are indicated	I certify that this document depicts the In Kind replacement of the existing facilities and that all betterment are indicated	The Utility is approved to proceed with their plans and estimates for the work described herein.
<b>Prepared by:</b> Signature	<b>Utility Concurrence:</b> Signature	Signature
<b>Print Name: Vittorio Anepete</b> <b>Design Firm: McCormick Taylor</b>	<b>Print Name:</b> <b>Print Title:</b>	<b>Print Name: Willie Colquitt</b> <b>Project Manager</b>
<b>Final Design Acceptance</b> Signature	<b>Final Design Acceptance</b> Signature	<b>Final Design Acceptance</b> Signature

**NEW JERSEY DEPARTMENT OF TRANSPORTATION  
UTILITY OWNER DESIGN AUTHORIZATION (CHECK LIST)**

<b>PROJECT NAME:</b> Route 130, CR 545 (Farnsworth Ave.)	<b>MUNICIPALITY:</b> Bordentown Township	<b>MUNICIPALITY:</b> Burlington County
--	--	--

<b>UTILITY OWNER: Bordentown Sewerage Authority</b>		<b>AGREEMENT NO: UECA-6-Rte130Farnsworth-148030</b>	<b>UPC CODE: 148030</b>
<b>Item No.</b>	<b>Location:</b>	<b>Existing Facilities</b>	<b>Proposed Facilities Temporary &amp; Permanent</b>
3	Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107+14 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107+14 NB, 26' Rt.</li> <li>Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107+14 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.</li> </ul>
4	Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt. Remove pipe connection to sanitary manhole.</li> <li>Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole. Install pipe connection to sanitary manhole.</li> </ul>
5	Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt.</li> <li>Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.</li> </ul>
6	Route 130 Sta. 95+61 NB, 39' Rt. to Sta. 112+60 NB, 26' Rt.	Ten (10) Sanitary Sewer Manholes	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>Reset nine (9) existing sanitary sewer manholes.</li> <li>Reconstruct one (1) existing sanitary sewer manhole.</li> </ul>
7	Route 130 Sta. 94+94 NB, 145' Rt. to Sta. 95+43 NB, 67' Rt.	15" Abandoned Sewer Main	Work to be performed by State's Contractor: <ul style="list-style-type: none"> <li>100' of 15" Abandoned sewer main to be removed and plugged prior to construction of the drainage basin where required.</li> </ul>

**General Notes:**

**Remarks/Authorization**  
 Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.

**Designer Initials:** \_\_\_\_\_ **Utility Owner Initials:** \_\_\_\_\_ **Project Manager Initials:** \_\_\_\_\_