

RESOLUTION 2025-101

AUTHORIZING THE AWARD OF A CONTRACT WITH A COST IN THE AMOUNT OF \$42,700.00 WITHOUT PUBLIC ADVERTISING FOR BIDS

WHEREAS, the "Local Public Contracts Law" provides that except for contracts which require the performance of professional services, all contracts or agreements that are less than the bid threshold but are fifteen percent (15%) or more of that amount, two competitive quotations, whenever practicable, shall be solicited by the contracting agent, and the contract shall be awarded to the vendor whose response is the most advantageous, price and other factors considered; and

WHEREAS, the Bordentown Sewerage Authority has solicited the following professional service quotation:

<u>BIDDER</u>	<u>PRICE</u>
Remington & Vernick Engineers	\$42,700.00

for the goods or services set forth below:

Inspection of sanitary sewer work to be performed by NJ Department of Transportation contractor for the Rt 130/Farnsworth Avenue intersection in the amount of \$42,700.00.

which the Authority has determined are directly related to the performance, completion or undertaking of the project for the following reasons:

NJ Department of Transportation utility agreement modification contract Burlington County UECA-6-Rte 130 Farnsworth-148030 as modified by contract UAMCA-01-6-Rte 130 Farnsworth-148030.

WHEREAS, a certificate of availability of funds has been provided by the designated certifying finance officer and is attached hereto.

NOW, THEREFORE, BE IT RESOLVED, this 18th day of August 2025 that the aforesaid contract for the professional services described above be and the same is hereby awarded to: **Remington & Vernick Engineers not to exceed the amount of \$42,700.00**

THE BORDENTOWN SEWERAGE AUTHORITY

By: M. Ellen Gulbinsky
M. Ellen Gulbinsky, Chairwoman

Attest:

Heather Cheesman
Heather Cheesman, Assistant Secretary

I have reviewed this resolution and the certificate of availability of funds and am satisfied that an appropriate certificate of availability has been provided.

Anthony T. Drollas, Jr.
Anthony T. Drollas, Jr., Esquire
General Counsel

CERTIFICATE OF AVAILABILITY OF FUNDS


I, Elizabeth J. Kwelty, Administrative Manager and Certifying Finance Officer of The Bordentown Sewerage Authority, do hereby certify, pursuant to the rules of the Department of Community Affairs, Division of Local Government Services (N.J.A.C. 5:34-5.1 et seq.), that there are available adequate funds for the following proposed contract:

CONTRACT:	Inspection of sanitary sewer work to be performed by NJ Department of Transportation contractor for the Rt 130/Farnsworth Avenue intersection.
CONTRACTOR:	Remington & Vernick Engineers
CONTRACT AMOUNT:	\$42,700.00
BUDGETARY LINE ITEM:	02-004-7642

I certify that the same funds have not been certified as available for more than one pending contract.

08/18/2025

Date



Elizabeth J. Kwelty
Certifying Finance Officer

Special situations (check all that apply):

- ☐ A.) The Authority is operating under a temporary budget and:
- ☐ 1. the full cost of the contract is certified against the temporary budget; or
 - ☐ 2. only the pro rata amount of the contract is charged against the temporary budget and the contract contains a clause making its continuation past the date subject to a further appropriation of sufficient funds.
- ☐ B.) This contract is an open-ended contract for goods at a unit price up to a maximum amount and:
- ☐ 1. the full maximum amount permitted by the contract is being certified; or
 - ☐ 2. the amount of the purchase shall be certified at the time that such goods are ordered by attaching the certificate of availability to the file copy of the purchase order.
- ☐ C.) This 12-month contract does not coincide with the fiscal year and:
- ☐ 1. the full cost of the contract is hereby certified against the budget of the year in which the contract is awarded; or
 - ☐ 2. the amounts for which liability is to be incurred is hereby certified against the two respective budgets at this time.
- ☒ D.) This is a multi-year contract and:
- ☐ 1. this contract is for construction and related services and the full amount of the contract is hereby certified to the current budget; or
 - ☒ 2. this is not a construction contract, and the availability of funds will be certified to the respective budgets at the time that the goods or services are ordered.

08/18/2025

Date


Elizabeth J. Kwelty
Certifying Finance Officer

UTILITY AGREEMENT MODIFICATION**Construction Authorization for Utility Owner****Category:** Construction Authorization (CA)**PODI** _____**NonPODI** X _____**Date:** 5/9/2025**Project Name:** Route 130, CR 545 (Farnsworth Ave)**Utility Owner Name:** Bordentown Sewerage Authority**Municipality:** Bordentown Township**County:** Burlington**Utility Engineering/Construction Agreement No:**

UECA-6-Rte 130 Farnsworth-148030

Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030**Contract ID No.:** 17 14204**DUNS No.:****Contract Billing No.:**

Charles Bluhm
Executive Director
The Bordentown Sewerage Authority
954 Farnsworth Ave
Bordentown, NJ 08505
Cbluhm@bordentownsa.org

Dear Mr. Bluhm,

The Utility is hereby authorized to proceed with the work described in accordance with the provisions set forth in the subject Agreement:

(1) The Utility shall have the individual responsible for overseeing the utility work specified in this Agreement Modification attend the State's Utility Pre-Construction meeting scheduled by the State's Resident Engineer with the State's contractor to discuss the work and necessary coordination.

(2) The Utility shall undertake the relocation and/or adjustment of their existing Sewerage facilities as required to accommodate the construction of the project, as indicated all or in part on the attached plan, consisting of two sheets, which is a part of this Agreement and is entitled: NEW JERSEY DEPARTMENT OF TRANSPORTATION, UTILITY AGREEMENT PLAN, RT 130, CR 545 (FARNSWORTH AVENUE) , CONTRACT NO. 055148030, TOWNSHIP OF BORDENTOWN BURLINGTON COUNTY, SEWER FACILITIES, BORDENTOWN SEWERAGE AUTHORITY. UECA-6-RTE130FARNSWORTH-148030, ATTACHMENT FOR UAM-1-6-RTE130FARNSWORTH-148030, SCALE: AS INDICATED DATE: JUNE 2024

(3) The relocation and/or adjustment work shall be performed in accordance with the "Schedule" cited on the Utility Agreement Plan. However, once work on the project has commenced, the Utility shall comply with the reasonable directions of the Resident Engineer as to the time for completion of the required work.

(4) In performing the work required by this Agreement, the Utility shall not be liable to the State's contractor or its subcontractors for any delay costs arising from changes to the Utility Agreement Plan caused by the State's contractor, and liquidated damages incurred by the State's contractor caused by the

UTILITY AGREEMENT MODIFICATION**Construction Authorization for Utility Owner****Category:** Construction Authorization (CA)**PODI** _____**NonPODI** X **Date:** 5/9/2025**Project Name:** Route 130, CR 545 (Farnsworth Ave)**Utility Owner Name:** Bordentown Sewerage Authority**Municipality:** Bordentown Township**County:** Burlington**Utility Engineering/Construction Agreement No:**

UECA-6-Rte 130 Farnsworth-148030

Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030**Contract ID No.:** 17 14204**DUNS No.:****Contract Billing No.:**

failure of the Utility to complete the utility work in accordance with the Utility Agreement Plan and Schedule if such failure is proximately caused by fire, flood, earthquake, extreme weather or other acts of God, emergency safety-related circumstances that require the diversion of workers, regulatory requirements implemented after the direction to proceed with the relocation work has been issued by the State, acts of war, terrorism, riots, civil disorder, strikes or other labor disputes beyond the control of the utility, court order, or by reason of the negligent failure of any State contractor, its subcontractors, or any other utility to perform its contract.

(5) The timing of work called for herein is based on anticipated scheduling and phasing of the project. However, all work to be performed by the Utility, or its contractor shall be coordinated with the operations of the State's contractor in a manner which will obtain the maximum economy in utility facility relocation that is compatible with the minimum interference to the operations of the State's contractor.

(6) Utility facilities constructed by the State's contractor will be installed to the Utility's satisfaction and the Utility shall reach an understanding with State's Resident Engineer for the inspection of material to be used for utility facilities before said material is installed.

(7) Certain temporary facilities may have to be constructed due to staging of highway construction and service requirements which are not specifically indicated, however, it is the intention of this Agreement to cover such work and same shall be accomplished by the Utility where necessary, subsequent to State approval.

(8) The Utility and its contractor shall perform the work in such a manner as to permit the maintenance of temporary traffic patterns set-up by the State and/or its contractor, in cooperation with local officials.

(9) The Utility shall establish the appropriate traffic work zone controls in accordance with NJAC 16:41 when performing work outside of the work zone established by the State's contractor.

(10) State will provide the Utility with survey control, as required, in order to relocate facilities. The State's Resident Engineer and the Utility's representative shall jointly verify the location of the proposed utility facilities.

(11) All lengths relative to utility relocations as indicated on the Utility Agreement Plan are understood

UAMCA (06/2020) **NEW JERSEY DEPARTMENT OF TRANSPORTATION**
P.O. BOX 600 TRENTON, NEW JERSEY 08625
UTILITY AGREEMENT MODIFICATION
Construction Authorization for Utility Owner

Category: Construction Authorization (CA)

PODI _____ **NonPODI** X

Date: 5/9/2025

Project Name: Route 130, CR 545 (Farnsworth Ave)

Utility Owner Name: Bordentown Sewerage Authority

Municipality: Bordentown Township

County: Burlington

Utility Engineering/Construction Agreement No:

UECA-6-Rte 130 Farnsworth-148030

Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030

Contract ID No.: 17 14204

DUNS No.:

Contract Billing No.:

to be plus or minus and construction as-built measurements shall govern the actual amounts for which payment will be made.

(12) Overtime work, not exceeding 10% of the labor cost of this Agreement, is authorized when approved by the State's Resident Engineer. Overtime work, exceeding 10% of the labor cost of this Agreement, will be treated as a "Major Change" of the plan under the State's Billing Regulations.

(13) The State will have the right to inspect recovered materials prior to disposal by sale or scrap. This requirement will be satisfied by the Utility giving written notice to the State of the time and place the materials will be available for inspection.

(14) The Utility shall notify the State's Resident Engineer on a daily basis when and where the Utility and/or its contractor will be performing relocation work.

(15) Whenever the Utility or its contractor shall trench or make other openings within the NJDOT right-of-way or areas under the jurisdiction of the State, said trenches and openings shall be restored in accordance with applicable State standards and as per the direction of the State's Resident Engineer. Backfill material shall be acceptable to the State.

(16) Unless otherwise specified herein, access to utility facilities for normal maintenance, repair, and replacement shall not be achieved from Freeway ramps and roadways, but rather from local roads or points outside of Freeway control of access lines and in such a manner so as not to impede or disrupt Freeway traffic movements.

(17) When temporary highway lighting facilities are authorized by the State's Supervising Electrical Engineer, the costs for installing and removing same shall be paid for by the State under the terms of a Change Order to this Agreement. When instructed to install such temporary lighting aforesaid, the Utility will supply the Department with an estimate of its costs in connection with same to permit the drafting of the Change Order. Said costs shall include the monthly electrical energy charges.

(18) All relocated poles and appurtenances constructed along land service roads, under this Agreement, shall be installed as far from the traveled way as possible, but within the right-of-way.

UAMCA (06/2020) NEW JERSEY DEPARTMENT OF TRANSPORTATION
P.O. BOX 600 TRENTON, NEW JERSEY 08625
UTILITY AGREEMENT MODIFICATION
Construction Authorization for Utility Owner

Category: Construction Authorization (CA)

PODI _____

NonPODI X

Date: 5/9/2025

Project Name: Route 130, CR 545 (Farnsworth Ave)

Utility Owner Name: Bordentown Sewerage Authority

Municipality: Bordentown Township

County: Burlington

Utility Engineering/Construction Agreement No:

UECA-6-Rte 130 Farnsworth-148030

Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030

Contract ID No.: 17 14204

DUNS No.:

Contract Billing No.:

(19) Poles shall be located behind guide rail where guide rail exists and is to remain or is to be constructed, in accordance with the applicable NJDOT guide rail standard.

(20) All poles used and owned jointly by the Utility and others shall be considered to be joint poles. Any of said Owners may perform all work on said poles and bill the State accordingly.

(21) Any spare cable approved for installation under this Agreement will not be utilized for the future expansion of a radial feed facility.

(22) The State and Utility have already agreed that the work on the Utility Agreement Plan will be performed by the State's contractor. If the New Jersey Department of Transportation's Division of Civil Rights determines a DBE Goal for the Project, the work under the Utility Agreement Plan will be covered under that goal. No separate DBE goal is needed for the work covered solely under the Utility Agreement Plan.

(23) As the State contractor will be performing the work, and the Utility is a Municipality. Any Municipal employees' or agents' actions will be subject to the New Jersey Tort Claims Act, N.J.S.A. 59:1-1 et. seq. and notice must be filed in accordance with N.J.S.A. 59:8-1 et seq.

The cost estimate indicated herein is based on figures submitted by the Bordentown Sewerage Authority but payment is to be made on the basis of actual cost or in accordance with an approved billing method. The Utility Company shall identify all work including preliminary engineering when billing the State with work item number and/or letter designations referring to utility plans and estimates.

ESTIMATED COST TO STATE FOR WORK PERFORMED BY THE UTILITY

The cost estimate for the inspection work that Bordentown Sewage Authority will have to perform for this project:

The Cost estimate is \$42,700

UAMCA (06/2020) **NEW JERSEY DEPARTMENT OF TRANSPORTATION**
P.O. BOX 600 TRENTON, NEW JERSEY 08625
UTILITY AGREEMENT MODIFICATION
Construction Authorization for Utility Owner

Category: Construction Authorization (CA)

PODI _____ **NonPODI** X _____

Date: 5/9/2025

Project Name: Route 130, CR 545 (Farnsworth Ave)

Utility Owner Name: Bordentown Sewerage Authority

Municipality: Bordentown Township

County: Burlington

Utility Engineering/Construction Agreement No:

UECA-6-Rte 130 Farnsworth-148030

Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030

Contract ID No.: 17 14204

DUNS No.:

Contract Billing No.:

* The Utility does not anticipate that any of the facilities being removed will have any scrap or salvage value. Should this contention change, the appropriate credit will be applied.

	<u>PRELIMINARY ENGINEERING</u>	<u>CONSTRUCTION</u>	<u>TOTAL</u>
Amt. Of Original Contract	\$7,500.00		\$7,500.00
Amt. Based on Utility Agreement Modifications			
Preliminary Engineering UAMPE (No's _____)			
Construction Authorization UAMCA (No's _____)			
Const. Change Order UAMCCO (No's _____)			
Amt. this UAM-01-6-Rte 130 Farnsworth-148030		\$42,700.00	\$42,700.00
Adjusted Contract Amount as of this UAM	\$7,500.00	\$42,700.00	\$50,200.00

NJDOT Funding Data for THIS Action

Utility Job No. 0317533
Construction Program Year 2025
Item Number 0179
Fed.-State % 100% Fed
Federal Project Number 0130344

125
A0: 3314054

UTILITY AGREEMENT MODIFICATION**Construction Authorization for Utility Owner****Category:** Construction Authorization (CA)**PODI** _____**NonPODI** X**Date:** 5/9/2025**Project Name:** Route 130, CR 545 (Farnsworth Ave)**Utility Owner Name:** Bordentown Sewerage Authority**Municipality:** Bordentown Township**County:** Burlington**Utility Engineering/Construction Agreement No:**

UECA-6-Rte 130 Farnsworth-148030



Utility Agreement Modification No.

UAMCA-01-6-Rte 130 Farnsworth-148030

UPC No: 148030**Contract ID No.:** 17 14204**DUNS No.:****Contract Billing No.:**

ACTING

Certification of Funds:


Director of Accounting & Auditing5/30/25
(Date)**Recommended:**
Willie ColquittProject Management Specialist 2
Team C

(Date)

Approved:
Tina M. Shutz, Director

Capital Program Support

6/3/25

(Date)

Distribution: Utility Owner (1 original & 1 copy), Agreement Accounting (1 original & 1 copy), (1), Regional Construction (South) (4), Regional Maintenance (South) (2), Project File (1 original)

**NEW JERSEY DEPARTMENT OF TRANSPORTATION
UTILITY OWNER DESIGN AUTHORIZATION (CHECK LIST)**

PROJECT NAME: Route 130, CR 545 (Farnsworth Ave.)			MUNICIPALITY: Bordentown Township		MUNICIPALITY: Burlington County	
UTILITY OWNER: Bordentown Sewerage Authority			AGREEMENT NO: UECA-6-Rte130Farnsworth-148030		UPC CODE: 148030	
Item No.	Location:	Existing Facilities	Proposed Facilities Temporary & Permanent	Remarks/Authorization	NJDOT	
1	Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: - Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt. - Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 105+33 NB, 30' Rt. to Sta. 105+41 NB, 29' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.	Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.		
2	Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: - Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt. - Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 106+06 NB, 26' Rt. to Sta. 106+14 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.	Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.		
No Interruption of service (Seasonal): N/A Notice Time Needed (include time to obtain materials): Bordentown Sewerage Authority requires a 72 hour minimum notice for onsite inspections prior to the start of the work. General Notes:						
DESIGNER I certify that this document depicts the in-kind replacement of the existing facilities and that all betterment are indicated. Prepared by: Vittorio Anepete Signature:  Print Name: Vittorio Anepete Design Firm: McCormick Taylor			UTILITY OWNER I certify that this document depicts the in-kind replacement of the existing facilities and that all betterment are indicated. Utility Concurrence: Signature:  Print Name: Thomas M. Redwood Print Title: Executive Director			
Final Design Acceptance Signature:  Print Name: Vittorio Anepete			NJDOT The Utility is approved to proceed with their plans and estimates for the work described herein. Signature:  Print Name: Willie Colquitt Project Manager			
Final Design Acceptance Signature:  Print Name: Vittorio Anepete			Final Design Acceptance Signature:  Print Name: Willie Colquitt Project Manager			

NEW JERSEY DEPARTMENT OF TRANSPORTATION
UTILITY OWNER DESIGN AUTHORIZATION (CHECK LIST)

PROJECT NAME: Route 130, CR 545 (Farnsworth Ave.)		MUNICIPALITY: Bordentown Township		MUNICIPALITY: Burlington County	
UTILITY OWNER: Bordentown Sewerage Authority			AGREEMENT NO: UECA-6-Rts130Farnsworth-148030		UPC CODE: 148030
Item No.	Location:	Existing Facilities	Proposed Facilities Temporary & Permanent	NJDOT Remarks/Authorization	
3	Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107+14 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: - Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107-14 NB, 26' Rt. - Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 107+06 NB, 26' Rt. to Sta. 107+14 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.	Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.	
4	Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: - Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt. Remove pipe connection to sanitary manhole. - Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 108+13 NB, 26' Rt. to Sta. 108+21 NB, 26' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole. Install pipe connection to sanitary manhole.	Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.	
5	Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt.	8" VCP Sanitary Gravity Main	Work to be performed by State's Contractor: - Remove 8 LF of existing 8" VCP Sanitary Gravity Main from Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt. - Install approx. 8 LF of proposed 8" PVC Sanitary Sewer Main from Route 130 Sta. 109+99 NB, 27' Rt. to Sta. 110+07 NB, 27' Rt. at existing alignment and inverts due to limited clearance to proposed utility pole.	Construction will require bypass pumping and video of the pipe in question before and after utility pole relocation.	
6	Route 130 Sta. 95+61 NB, 39' Rt. to Sta. 112-60 NB, 26' Rt.	Ten (10) Sanitary Sewer Manholes	Work to be performed by State's Contractor: - Reset nine (9) existing sanitary sewer manholes. - Reconstruct one (1) existing sanitary sewer manhole.		
7	Route 130 Sta. 94+94 NB, 145' Rt. to Sta. 95+43 NB, 67' Rt.	15" Abandoned Sewer Main	Work to be performed by State's Contractor: 100' of 15" Abandoned sewer main to be removed and plugged prior to construction of the drainage basin where required.		
General Notes:					

NECNA Approved

Utility Owner Initials: *TRK*

Project Manager Initials: *Willie Colquhitt*

From: Richard Czekanski <Richard.Czekanski@rve.com>
Sent: Friday, March 8, 2024 8:44 AM
To: Livingston, Dylan A
Cc: Anepete, Vittorio M.; Tom Redwood; Elizabeth Kwelty
Subject: RE: Route 130 Farnsworth- BSA - Information Transmission
Attachments: [202403 BSA WW Rt 130 Quantity & Payment Items.docx](#)

See below

From: Livingston, Dylan A <DALivingston@mccormicktaylor.com>
Sent: Friday, February 16, 2024 12:28 PM
To: Richard Czekanski <Richard.Czekanski@rve.com>
Cc: Anepete, Vittorio M. <VMAnepete@mccormicktaylor.com>; Tom Redwood <fredwood@bordentownsa.org>; Elizabeth Kwelty <ekwelty@bordentownsa.org>
Subject: RE: Route 130 Farnsworth- BSA - Updated Checklist and UAP

Good Afternoon Richard,

I wanted to reach out to you because we are getting ready to submit FD for the Route 130 Farnsworth project.

We are looking to obtain the signed checklist for this project as well as a number of other items.

I will provide a list of items below that we will require for final submission with some notes:

- Signed Checklist; BSA will forward once all the transmitted information is acceptable to you
- Cost Estimate; will be sent separately today; \$123,100.00
- Specifications- I know you have been working on this, please send everything once you are comfortable with it and we will incorporate it into our specs; will be sent separately today
- Certified Contractor List- If you require one; not required
- Details; provided previously
- Lead Times; Included in comments after each quantity and payment item. We provided in Word so you could delete this information later and/or modify document
- Durations; Described on estimate where we show the basis of the costs. We utilized one contractor crew day for each 8' pipe replacement section. Reset two manhole frames per day. Cleaning and sewer main video work is one day for preconstruction and separately one day for postconstruction. 1 day to reconstruct manhole.
- Contact for Construction: Tom Redwood, Bordentown Sewerage Authority Executive Director; 609 291 9105

Additionally: Requested fee for engineering and inspection fees during the construction period: \$42,700.00

Please let me know if you have any questions.

Sincerely,

Dylan A. Livingston, PE | Transportation Engineer III
O 856.206.5328 | C 856-472-0300 | dalivingston@mccormicktaylor.com



McCormick Taylor
700 East Gate Drive, Suite 201
Mt Laurel, NJ. 08054
www.mccormicktaylor.com

From: Livingston, Dylan A
Sent: Monday, December 18, 2023 4:20 PM
To: Richard Czekanski <Richard.Czekanski@rve.com>
Cc: Anepete, Vittorio M. <VMAnepete@mccormicktaylor.com>; Tom Redwood <tredwood@bordentownsa.org>; Elizabeth Kwelty <ekwelty@bordentownsa.org>
Subject: Route 130 Farnsworth- BSA - Updated Checklist and UAP

Good Afternoon Richard,

Please see the attached UAP and Checklist for the Route 130 Farnsworth project. Please review these items and let us know if you have any questions.

We would like to get the checklist executed at your earliest convenience.

Sincerely,


Dylan A. Livingston, PE | Transportation Engineer III
O 856.206.5328 | C 856-472-0300 | dalivingston@mccormicktaylor.com



McCormick Taylor
700 East Gate Drive, Suite 201
Mt Laurel, NJ. 08054
www.mccormicktaylor.com

[CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe]

DISCLAIMER: This message and any documents attached may contain confidential information and are intended only for the individual(s) named. If you are not the intended recipient, or the employee or agent authorized to receive for the intended recipient, you should not disseminate, distribute or copy this e-mail and any attached documents. If you have received this e-mail in error, please immediately notify the sender at Remington & Vernick Engineers by replying to this e-mail and delete the original e-mail and any reply e-mail messages from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. If verification is required please request a hard-copy version. Thank you.



RED	EXISTING FACILITIES TO BE REMOVED OR ABANDONED
GREEN	PERMANENT FACILITIES TO BE CONSTRUCTED
YELLOW	TEMPORARY FACILITIES TO BE CONSTRUCTED
BLUE	FACILITIES TO BE CONSTRUCTED AT OWNER'S EXPENSE
PURPLE	EXISTING FACILITIES TO BE PROTECTED IN PLACE

5th VCP Security Guarding Male
20th DIP Security Guarding Male
Nth Security Force Male
15th DIP Security Force Male
10th DIP Security Force Male
30th DIP Security Force Male
6th HEPF Security Force Male
11th HEPF Security Force Male



UTILITY AGREEMENT PLAN

NEW JERSEY DEPARTMENT OF TRANSPORTATION

RT 130, CR 545 (PARNSWORTH AVENUE)
CONTRACT NO. 053148030

TOWNSHIP OF BORDENTOWN BURLINGTON COUNTY

SEWER FACILITIES

BORDENTOWN SEWERAGE AUTHORITY
UTICA-6-RT130/PARNSWORTH-148030

ATTACHMENT FOR ILL-4-ATTACHMENT-148030

SCALE AS INDICATED DATE: JUNE 2024

1
2

